


Product datasheet

Specifications



FR.PL.V.2NS630



03663

⚠ Discontinued on: 9 Aug 2023

⚠ Discontinued

Main

Range	Prisma
Range Of Product	Prisma P
Product Or Component Type	Front plate
Accessory / Separate Part Category	Installation accessory
Range Compatibility	Prisma Prisma P cubicle
Type Of Front Plate	Cut-out
Installed Device	ComPact: fixed NSX400 without earth leakage protection - control: toggle - vertical installation ComPact: fixed NSX400 without earth leakage protection - control: direct front rotary handle - vertical installation ComPact: plug-in NSX400 without earth leakage protection - control: toggle - vertical installation ComPact: fixed NSX400 without earth leakage protection - control: motor mechanism - vertical installation ComPact: plug-in NSX400 without earth leakage protection - control: direct front rotary handle - vertical installation ComPact: plug-in NSX400 without earth leakage protection - control: motor mechanism - vertical installation ComPact: drawout NSX400 without earth leakage protection - control: toggle - vertical installation ComPact: drawout NSX400 without earth leakage protection - control: direct front rotary handle - vertical installation ComPact: drawout NSX400 without earth leakage protection - control: motor mechanism - vertical installation ComPact: fixed NSX630 without earth leakage protection - control: toggle - vertical installation ComPact: fixed NSX630 without earth leakage protection - control: direct front rotary handle - vertical installation ComPact: plug-in NSX630 without earth leakage protection - control: toggle - vertical installation ComPact: fixed NSX630 without earth leakage protection - control: motor mechanism - vertical installation ComPact: plug-in NSX630 without earth leakage protection - control: direct front rotary handle - vertical installation ComPact: plug-in NSX630 without earth leakage protection - control: motor mechanism - vertical installation ComPact: drawout NSX630 without earth leakage protection - control: toggle - vertical installation ComPact: drawout NSX630 without earth leakage protection - control: direct front rotary handle - vertical installation ComPact: drawout NSX630 without earth leakage protection - control: motor mechanism - vertical installation
Poles Description	2 x 3P: mounting plate support: NSX400 vertical installation 2 x 4P: mounting plate support: NSX400 vertical installation 2 x 3P: mounting plate support: NSX630 vertical installation 2 x 4P: mounting plate support: NSX630 vertical installation
Operating Position	Vertical

Complementary

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Enclosure/Cubicle Description	Cubicle - width 650 mm depth 400 mm
Connection Position	Direct connection Linergy FC
Number Of Vertical Modules [50 Mm]	7
Standards	IEC 61439-2 IEC 61439-1
Product Certifications	ASEFA
Material	Steel
Surface Finish	Matt Smooth
Protective Treatment	Electrophoresis treatment and hot-polymerised polyester epoxy powder
Colour	White (RAL 9001)
Height	350 mm
Width	500 mm
Net Weight	1.22 kg
Quantity Per Set	Set of 1

Functional Unit	650 mm 400 mm Prisma P cubicle ComPact NSX400 without fixed toggle vertical 3P 2 direct 11
	650 mm 400 mm Prisma P cubicle ComPact NSX400 without fixed toggle vertical 4P 2 direct 11
	650 mm 400 mm Prisma P cubicle ComPact NSX400 without plug-in toggle vertical 3P 2 direct 11
	650 mm 400 mm Prisma P cubicle ComPact NSX400 without plug-in toggle vertical 4P 2 direct 11
	650 mm 400 mm Prisma P cubicle ComPact NSX400 without fixed direct front rotary handle vertical 3P 2 direct 11
	650 mm 400 mm Prisma P cubicle ComPact NSX400 without fixed direct front rotary handle vertical 4P 2 direct 11
	650 mm 400 mm Prisma P cubicle ComPact NSX400 without fixed motor mechanism vertical 3P 2 direct 11
	650 mm 400 mm Prisma P cubicle ComPact NSX400 without fixed motor mechanism vertical 4P 2 direct 11
	650 mm 400 mm Prisma P cubicle ComPact NSX400 without plug-in direct front rotary handle vertical 3P 2 direct 11
	650 mm 400 mm Prisma P cubicle ComPact NSX400 without plug-in direct front rotary handle vertical 4P 2 direct 11
	650 mm 400 mm Prisma P cubicle ComPact NSX400 without plug-in motor mechanism vertical 3P 2 direct 11
	650 mm 400 mm Prisma P cubicle ComPact NSX400 without plug-in motor mechanism vertical 4P 2 direct 11
	650 mm 400 mm Prisma P cubicle ComPact NSX400 without drawout toggle vertical 3P 2 direct 11
	650 mm 400 mm Prisma P cubicle ComPact NSX400 without drawout toggle vertical 4P 2 direct 11
	650 mm 400 mm Prisma P cubicle ComPact NSX400 without drawout direct front rotary handle vertical 3P 2 direct 11
	650 mm 400 mm Prisma P cubicle ComPact NSX400 without drawout direct front rotary handle vertical 4P 2 direct 11
	650 mm 400 mm Prisma P cubicle ComPact NSX400 without drawout motor mechanism vertical 3P 2 direct 11
	650 mm 400 mm Prisma P cubicle ComPact NSX400 without drawout motor mechanism vertical 4P 2 direct 11
	650 mm 400 mm Prisma P cubicle ComPact NSX630 without fixed toggle vertical 3P 2 direct 13
	650 mm 400 mm Prisma P cubicle ComPact NSX630 without fixed toggle vertical 4P 2 direct 13
	650 mm 400 mm Prisma P cubicle ComPact NSX630 without plug-in toggle vertical 3P 2 direct 13
	650 mm 400 mm Prisma P cubicle ComPact NSX630 without plug-in toggle vertical 4P 2 direct 13
	650 mm 400 mm Prisma P cubicle ComPact NSX630 without fixed direct front rotary handle vertical 3P 2 direct 13
	650 mm 400 mm Prisma P cubicle ComPact NSX630 without fixed direct front rotary handle vertical 4P 2 direct 13
	650 mm 400 mm Prisma P cubicle ComPact NSX630 without fixed motor mechanism vertical 3P 2 direct 13
	650 mm 400 mm Prisma P cubicle ComPact NSX630 without fixed motor mechanism vertical 4P 2 direct 13
	650 mm 400 mm Prisma P cubicle ComPact NSX630 without plug-in direct front rotary handle vertical 3P 2 direct 13
	650 mm 400 mm Prisma P cubicle ComPact NSX630 without plug-in direct front rotary handle vertical 4P 2 direct 13
	650 mm 400 mm Prisma P cubicle ComPact NSX630 without plug-in motor mechanism vertical 3P 2 direct 13
	650 mm 400 mm Prisma P cubicle ComPact NSX630 without plug-in motor mechanism vertical 4P 2 direct 13
	650 mm 400 mm Prisma P cubicle ComPact NSX630 without drawout toggle vertical 3P 2 direct 13
	650 mm 400 mm Prisma P cubicle ComPact NSX630 without drawout toggle vertical 4P 2 direct 13
	650 mm 400 mm Prisma P cubicle ComPact NSX630 without drawout direct front rotary handle vertical 3P 2 direct 13
	650 mm 400 mm Prisma P cubicle ComPact NSX630 without drawout direct front rotary handle vertical 4P 2 direct 13
	650 mm 400 mm Prisma P cubicle ComPact NSX630 without drawout motor mechanism vertical 3P 2 direct 13
	650 mm 400 mm Prisma P cubicle ComPact NSX630 without drawout motor mechanism vertical 4P 2 direct 13

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1

Package 1 Height	3.000 cm
Package 1 Width	36.000 cm
Package 1 Length	51.000 cm
Package 1 Weight	1.220 kg
Unit Type Of Package 2	CAR
Number Of Units In Package 2	10
Package 2 Height	17.000 cm
Package 2 Width	37.000 cm
Package 2 Length	53.000 cm
Package 2 Weight	12.800 kg
Unit Type Of Package 3	P12
Number Of Units In Package 3	80
Package 3 Height	48.000 cm
Package 3 Width	80.000 cm
Package 3 Length	120.000 cm
Package 3 Weight	102.400 kg

Sustainability

Green Premium™ label is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product’s sustainability >](#)



Transparency RoHS/REACH

Well-being performance

✓	Reach Free Of Svhc	
✓	Toxic Heavy Metal Free	
✓	Mercury Free	
✓	Rohs Exemption Information	Yes
✓	Halogen Free Plastic Parts Product	

Certifications & Standards

Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information