

# Product datasheet

Specifications



## Automatic control plate, interlock accessory for TransferPacT , 110...127V, 50/60Hz

29447

! Discontinued

### Main

Range Of Product	Compact NS100...630 MasterPact NT NSX400...630 NSX100...250 Compact NS630b...1600 MasterPact NW
Range	ComPact
Product Or Component Type	Control plate
Accessory / Separate Part Category	Interlocking accessory
Range Compatibility	ComPact ComPact NS circuit breaker ComPact ComPact NSX circuit breaker Masterpact MasterPact NT circuit breaker Masterpact MasterPact NT switch disconnecter Masterpact MasterPact NW circuit breaker Masterpact MasterPact NW switch disconnecter
Device Short Name	ACP
[Us] Rated Supply Voltage	110...127 V AC at 50/60 Hz

### Complementary

Interlocked Device	MasterPact NW Compact NS630b...1600 NSX400...630 Compact NS100...630 NSX100...250 MasterPact NT
Selection Modes	Circuit breaker on R Circuit breaker on N
Input Type	Contacts customer voluntary order to transfer to source R
Output Type	Contacts customer: indication of operation in automatic or stop mode
Product Compatibility	Compact NSX400...630 Compact NSX100...250 Compact NS630b...1600

### Environment

Ip Degree Of Protection	IP20 connectors: conforming to EN 60529 IP40 front: conforming to EN 60529 IP30 side: conforming to EN 60529
Ik Degree Of Protection	Front: IK07 conforming to EN 50102

### Packing Units

Unit Type Of Package 1	PCE
------------------------	-----

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Number Of Units In Package 1	1
Package 1 Height	13.0 cm
Package 1 Width	16.5 cm
Package 1 Length	29.0 cm
Package 1 Weight	2.592 kg
Unit Type Of Package 2	S04
Number Of Units In Package 2	6
Package 2 Height	30.0 cm
Package 2 Width	40.0 cm
Package 2 Length	60.0 cm
Package 2 Weight	16.318 kg

## Contractual warranty

Warranty	18 months
----------	-----------

## Sustainability



**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)

## Well-being performance

 Mercury Free	
 Rohs Exemption Information	<a href="#">Yes</a>
Eu Rohs Directive	Compliant <a href="#">EU RoHS Declaration</a>
China Rohs Regulation	<a href="#">China RoHS declaration</a> Product out of China RoHS scope. Substance declaration for your information
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins