

Acti9 modular bell transfomer iTR - 230 V 50..60 Hz - output 8..12 V - 8 VA

A9A15216

#### Main

Range Of Product	Acti9	
Product Name	Acti9 iTR	
Product Or Component Type	Transformer	
Device Short Name	iTR	
Transformer Type	Bell transformer	

## Complementary

[Ue] Rated Operational Voltage	230 V AC 50/60 Hz
Output Voltage	8/12 V: +/- 15 % on load 13/18 V: off load
Output Short-Circuit Protection	Built-in
Rated Power In Va	8 VA
Mounting Mode	Fixed
Mounting Support	35 mm symmetrical DIN rail
9 Mm Pitches	4
Height	89 mm
Width	36 mm
Depth	60 mm
Colour	White
Auxiliary Connection Terminal	Tunnel type terminalsrigid 2.5 mm <sup>2</sup> Tunnel type terminalsflexible 2.5 mm <sup>2</sup> Tunnel type terminalsflexible with ferrule 2.5 mm <sup>2</sup>
Wire Stripping Length	6 mm
Tightening Torque	0.5 N.m

#### **Environment**

Standards	EN 60742 EN 61558-2-6 IEC 61558-2-6	
Product Certifications	NF	
Ip Degree Of Protection	IP20 conforming to IEC 60529	
Overvoltage Category	Class II with terminal shields in option	
Ambient Air Temperature For Operation	-2055 °C	
Ambient Air Temperature For Storage	-2580 °C	

# **Packing Units**

9	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	4.000 cm
Package 1 Width	7.000 cm
Package 1 Length	9.500 cm
Package 1 Weight	270.000 g
Unit Type Of Package 2	S02
Number Of Units In Package 2	28
Package 2 Height	15.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	10.960 kg

# **Contractual warranty**

Warranty 18 months

25 Apr 2024

### Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

### Well-being performance

<b>②</b>	Reach Free Of Svhc	
	Toxic Heavy Metal Free	
	Mercury Free	
	Rohs Exemption Information	Yes
Rea	ch Regulation	REACh Declaration
Eu F	Rohs Directive	Compliant
		EU RoHS Declaration
Chir	na Rohs Regulation	China RoHS declaration
		Pro-active China RoHS declaration (out of China RoHS legal scope)
Wee	e	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins