



Main

Range of product	Canalis
Product name	KS
Product or component type	Gland plate
Accessory / separate part category	Cabling accessory
Product compatibility	KSA630ABT4 FL21
Mounting support	Feed unit

Complementary

[Ie] rated operational current	630 A
Fixing mode	By screws
Height	227 mm
Width	502 mm
Number of cut-out	2 cut-outs
Cut-out dimensions	69 x 30 mm

Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	REACH Declaration
REACH free of SVHC	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
RoHS exemption information	Yes
China RoHS Regulation	Download RoHS China Declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
------	---

Contractual warranty

Warranty	18 months
----------	-----------

